AMENDMENTS TO THE CLAIMS

This listing of claims replaces all previous listings, and versions, of claims in the application.

Listing of claims:

- 1-28. (canceled)
- 29. (previously presented) An article comprising:
 - a porous backing substrate; and
- a porous adhesive-carrying fabric applied to the backing substrate, the fabric, after application of adhesive thereto, having greater than about 60% open area.
- 30. (currently amended) An article comprising:
 - a porous backing substrate; and
- a porous adhesive-carrying fabric applied to the backing substrate, wherein said adhesivecarrying porous fabric has a thread count in at least one direction that is not more than 18 yarns per inch and has a porosity greater than that of the backing substrate.
- 31. (previously presented) An article comprising:
 - a porous backing substrate; and
- a porous adhesive-carrying fabric applied to the backing substrate, the fabric, after application of adhesive thereto, having an open area that is not more than about 10% to about 20% less than the open area of the fabric prior to the application of adhesive thereto.
- 32. (previously presented) An article comprising:
 - a porous backing substrate; and
- a porous adhesive-carrying fabric applied to the backing substrate, the fabric, prior to application of adhesive thereto, having in the range of about 50% to about 95% open area.

Docket No.: 0003317.00126US1

Application No. 10/603,224 Amendment Dated December 5, 2007 Reply to Office Action of September 6, 2007

- 33. (previously presented) An article comprising:
 - a porous backing substrate; and
 - a porous adhesive-carrying fabric applied to the backing substrate,

the fabric prior to application of adhesive thereto having in the range of about 50% to about 95% open area, and after the application of adhesive thereto having an open area that is not more than about 10% to about 20% less than the open area of the fabric prior to the application of adhesive thereto.

- 34. (previously presented) The article of claim 32 or 33, wherein the adhesive-earrying fabric has more than 80% open area prior to application of the adhesive.
- [[37]] 35. (currently amended) The article of claim 29, the porous adhesive-carrying fabric, after application of adhesive thereto, having in the range of 60% to about 85% open area.
- [[35]] 36. (currently amended)[[.]] The article of claim 33 wherein the porous adhesive-carrying fabric has a thread count in at least one direction that is not more than 18 yarns per inch.
- [[36]] <u>37</u>. (currently amended) The article of claim 30 or [[35]] <u>36</u>, wherein the thread count is in the range of 9 yarns/inch to 18 yarns/inch.
- 38. (previously presented) The article of claim 29, the porous adhesive-carrying fabric, after application of adhesive thereto, having greater than about 70% open area.
- 39. (previously presented) The article of claim 29, the porous adhesive-carrying fabric, after application of adhesive thereto, having greater than about 80% open area.
- 40. (previously presented) The article of claim 29 or 33, wherein the porous backing substrate has greater than about 50% open area.

Docket No.: 0003317.00126US1

Application No. 10/603,224 Amendment Dated December 5, 2007 Reply to Office Action of September 6, 2007

- 41. (previously presented) The article of claim 29, wherein at least one of the porous backing substrate and the porous adhesive-carrying fabric is selected from the group consisting of a woven fabric, a knit fabric, a non-woven fabric, a warp knit fabric and a warp knit (weft insertion) fabric.
- 42. (previously presented) The article of claim 29 or 33, wherein the adhesive of the porous adhesive-carrying fabric penetrates into about 25% to about 75% of the thickness of the porous backing.
- 43. (previously presented) The article of claim 29 or 33 wherein the adhesive has sufficient internal cohesive strength that the article is removable from a substrate without separation of the backing substrate and the adhesive-carrying fabric.
- 44. (previously presented) The article of claim 29 or 33, further comprising elastic varns.